


















































<p>U503 — MINI USB</p>  <p>1.5 PIN 2.SMTx4/DIPx4 Type (post optional) 3.DIM:9.20Lx7.70Wx3.90H mm</p>	<p>U510-1 — USB Connector</p>  <p>1.12PIN 2.DIPx2+SMTx2 Type (logo optional) 3.DIM:10.60Lx7.25Wx2.00H mm</p>	<p>U511-1 — MINI USB</p>  <p>1.12 PIN 2.DIPx2+SMTx2 Type(without post) 3.DIM:8.55Lx8.34Wx3.10H mm 4.SHELL:Nickel plated over all</p>	<p>U511-2 — MINI USB</p>  <p>1.12 PIN 2.DIPx2+SMTx2 Type(without post) 3.DIM:8.55Lx8.34Wx3.10H mm 4.SHELL:Tin Plated Over All</p>
<p>U512-3 — Micro USB</p>  <p>1.5PIN 2.DIPx4 (without post & With ear shall) 3.DIM:7.82Lx5.60Wx2.80H mm</p>	<p>U513 — Micro USB</p>  <p>1.5PIN 2.DIPx2(5.75)Type (post optional) (With ear shall) 3.DIM:7.90Lx5.60Wx2.97H mm</p>	<p>U513-3 — Micro USB</p>  <p>1.5PIN 2.DIPx2(5.75)+SMTx2 Type ((With post & without ear shell) 3.DIM:7.89Lx5.60Wx2.97H mm</p>	<p>U514-1 — Micro USB</p>  <p>1.5PIN 2.DIPx2(7.20) Type (without post & With ear shall) 3.DIM:7.89Lx5.60Wx2.97H mm</p>
<p>U515-1 — Micro USB</p>  <p>1.7PIN 2.Downing 0.70 3.DIPx4 4.DIM:10.20Lx7.50Wx2.80H mm</p>	<p>U516-1 — Micro USB</p>  <p>1.5 PIN(without post) 2.DIPx2(7.20)+DIPx2(4.85)Type (With ear shall) 3.DIM:8.00Lx5.60Wx2.90H mm</p>	<p>U516-8 — Micro USB</p>  <p>1.5 PIN(with post) 2.DIPx2(7.20)+DIPx2(6.60)Type (without ear shell) 3.DIM:7.50Lx5.35Wx2.50H mm</p>	<p>U517-2 — Micro USB</p>  <p>1.5 PIN(post optional) 2.DIPx4 Type (without ear shell) 3.DIM:7.85Lx6.60Wx2.80H mm</p>
<p>U518-2 — Micro USB</p>  <p>1.5PIN 2.Downing 1.60 3.DIPx2+SMTx2 Type 4.DIM:9.95Lx7.13Wx2.82H mm</p>	<p>U521-1 — Micro USB</p>  <p>1.5PIN 2.DIPx2(6.40)+SMTx2 Type (without post & ear shell) 3.DIM:7.50Lx5.00Wx2.50H mm</p>	<p>U521-2 — Micro USB</p>  <p>1.5PIN 2.SMTx4Type(with post) (without ear shell) 3.DIM:7.60Lx5.00Wx2.90H mm</p>	<p>U521-4 — Micro USB</p>  <p>1.5PIN 2.DIPx2(6.40)+SMTx2 Type (without post & with ear shell) 3.DIM:7.90Lx5.00Wx2.97H mm</p>
<p>U522-1 — Micro USB</p>  <p>1.5PIN 2.DIPx4 Type (without post & ear shell) 3.DIM:7.50Lx5.30Wx2.50H mm</p>	<p>U522-2 — Micro USB</p>  <p>1.5PIN 2.DIPx4 Type (without post & with ear shell) 3.DIM:8.03Lx5.90Wx3.00H mm</p>	<p>U526-1 — Micro USB</p>  <p>1.5PIN 2.Downing 0.70 3.SMTx4 Type(with ear shell) 4.DIM:10.80Lx7.50Wx2.90H mm</p>	<p>U526-2 — Micro USB</p>  <p>1.5PIN 2.Downing 0.70 3.SMTx4 Type(without ear shell) 4.DIM:10.80Lx7.50Wx2.90H mm</p>
<p>U526-4 — Micro USB</p>  <p>1.5PIN 2.Downing 1.20 3.SMTx4 Type(with ear shell) 4.DIM:10.80Lx7.50Wx2.90H mm</p>	<p>U526-5 — Micro USB</p>  <p>1.5PIN 2.Downing 1.20 3.SMTx4 Type(without ear shell) 4.DIM:10.80Lx7.50Wx2.90H mm</p>	<p>U529-2 — Micro USB</p>  <p>1.5PIN 2.Downing 0.75 3.DIPx4 Type (without post & ear shell) 4.DIM:10.00Lx6.20Wx2.40H mm</p>	<p>U529-4 — Micro USB</p>  <p>1.5PIN 2.Downing 1.20 3.DIPx4 Type (without post & with ear shell) 4.DIM:10.00Lx6.80Wx2.90H mm</p>

<p>U529-6—Micro USB</p>  <p>1.5PIN 2.Downing 1.20 3.DIPx2+SMTx2 Type (without post & ear shell) 4.DIM:10.20Lx6.20Wx2.90H mm</p>	<p>U532-1—Micro USB</p>  <p>1.5PIN 2.DIPx8 Type (without post & with ear shell) 3.DIM:6.35Lx8.20Wx2.75H mm</p>	<p>U534-1—Micro USB</p>  <p>1.5PIN 2.DIPx4 Type (without post & with ear shell) 3.DIM:7.90Lx5.30Wx2.90H mm</p>	<p>U5211-1—Micro USB</p>  <p>1.5PIN 2.DIPx2(6.40)+SMTx2 Type (without post &with ear shell) 3.DIM:7.90Lx5.70Wx2.90H mm</p>
<p>U5212-1—Micro USB</p>  <p>1.5PIN 2.Downing 1.97mm 3.DIPx4 (without post & ear shell) 4.DIM:6.25Lx10.45Wx2.70H mm</p>	<p>U5213-1—Micro USB</p>  <p>1.5PIN 2.DIPx4(7.00X5.4) Type (without post&ear shell) 3.DIM:7.35Lx5.00Wx2.45H mm</p>	<p>U5401-1—Micro USB</p>  <p>1.VERTICAL 5PIN 2.DIPx2+SMTx2 Type (with post&ear shell) 3.DIM:8.60Lx3.00Wx5.80H mm</p>	<p>U5401-2—Micro USB</p>  <p>1.VERTICAL 5PIN 2.SMTx5+DIPx3 (with post & without ear shell) 3.DIM:8.00Lx2.50Wx5.20H mm</p>
<p>U5402-1—Micro USB</p>  <p>1.VERTICAL 5PIN 2.DIPx7 Type 3.DIM:8.00Lx2.90Wx5.60H mm</p>	<p>U5501-1—Micro USB</p>  <p>1.PLUG 5PIN 2.Plywood Type 3.DIM:19.80Lx15.20Wx3.70H mm</p>	<p>U32001-1—USB TYPE-C PLUG</p>  <p>1.24PIN 2.Dual-row clamp1.00mm 3.DIM:8.25Lx2.40Wx13.75H mm</p>	<p>U33001-1—USB TYPE-C PLUG</p>  <p>1.VERTICAL 24PIN 2.SMTx24 Type 3.DIM:8.25Lx2.40Wx11.10H mm</p>
<p>U33001-2—USB TYPE-C PLUG</p>  <p>1.VERTICAL 24PIN 2.SMTx24 Type 3.DIM:8.25Lx2.40Wx11.10H mm</p>	<p>U34202-1—USB TYPE-C</p>  <p>1.24PIN 2.Dual-row clamp 1.00mm 3.DIM:8.25Lx2.40Wx11.60H mm</p>	<p>U34202-2—USB TYPE-C</p>  <p>1.24PIN 2.Dual-row clamp 0.80mm 3.DIM:8.25Lx2.40Wx11.60H mm</p>	<p>U34202-3—USB TYPE-C</p>  <p>1.24PIN 2.Dual-row clamp1.20mm 3.DIM:8.25Lx2.40Wx11.60H mm</p>
<p>U34202-11—USB TYPE-C</p>  <p>1.24PIN 2.Dual-row clamp0.80mm 3.DIM:8.25Lx2.40Wx23.66H mm</p>	<p>U34202-12—USB TYPE-C</p>  <p>1.24PIN 2.A to C Dual-row clamp0.80mm 3.DIM:8.25Lx2.40Wx16.00H mm</p>	<p>T3809—DC JACK</p>  <p>1.3 Pin 2.DIP Type 3.DIM:14.20Lx9.00Wx11.00H mm</p>	<p>T3810-1—DC JACK</p>  <p>1.3 Pin 2.DIP Type 3.DIM:10.00Lx12.00Wx19.00H mm 4.Colour:black</p>
<p>T3810-3—DC JACK</p>  <p>1.3 Pin 2.DIP Type 3.DIM:10.00Lx12.00Wx19.00H mm 4.Colour:yellow</p>	<p>T3910-1—SWITCH</p>  <p>1.2 PIN 2.DIP Type 3.DIM:8.50Lx3.80+(3.15~15.85)Wx7.0H mm</p>	<p>T3914-3—SWITCH</p>  <p>1.8 PIN 2.DIP Type 3.DIM:13.00Lx3.70Wx3.50H mm</p>	<p>T3915-1—SWITCH</p>  <p>1.8 PIN 2.SMT Type(With Post) 3.DIM:13.00Lx3.50Wx3.50H mm</p>


<p>T3916-1 — SWITCH</p>  <p>1.3 PIN 2.SMT Type(With Post) 3.DIM:12.70Lx5.70Wx6.60H mm</p>	<p>D3001 — OBD</p>  <p>1.16Pin 2.DIP Type 3.DIM:43.8Lx24.70Wx14.60H mm</p>	<p>Z0002-1 — SHIELD</p>  <p>1.COVER 2.DIM:58.10Lx42.00Wx3.40H mm</p>	<p>Z0002-2 — SHIELD</p>  <p>1.BOTTOM 2.DIM:57.40Lx41.30Wx3.70H mm</p>
<p>T302 — BATTERY</p>  <p>1.3 Pin 2.2.50 Pitch 3.SMT Type(Post Optional) 4.DIM:7.50Lx4.30WxH mm H=5.70/6.00/6.50/7.00/7.50mm</p>	<p>T303 — BATTERY</p>  <p>1.4 Pin 2.3.00 Pitch 3.DIM:24.50Lx16.40Wx4.25H mm</p>	<p>T304 — BATTERY</p>  <p>1.4 Pin 2.3.00 Pitch 3.DIM:23.95Lx39.5Wx13.86H mm</p>	<p>T311 — BATTERY</p>  <p>1.3 Pin 2.3.1 Pitch 3.SMT Type(Without Post) 4.DIM:9.30Lx4.80WxH mm H=6.60/6.80/7.00/7.30mm</p>
<p>T3001 — BATTERY</p>  <p>1.2 Pin 2.2.50 Pitch 3.SMT Type(Post Optional) 4.DIM:5.10Lx4.30Wx0.95H mm</p>	<p>T3005 — BATTERY</p>  <p>1.5 Pin 2.3.70 Pitch 3.Wire Solder Type 4.DIM:26.10Lx10.00Wx17.70H mm</p>	<p>T3006 — BATTERY</p>  <p>1.5 Pin 2.2.00 Pitch 3.DIP Type(With Post) 4.DIM:10.00Lx6.00Wx1.70H mm</p>	<p>T3007 — BATTERY</p>  <p>1.5 Pin 2.2.00 Pitch 3.DIM:10.00Lx6.50Wx1.27H mm</p>
<p>B101 — Female header</p>  <p>1.80Pin 2.SMT Type 3.Pitch 1.00mm 4.DIM:40.50Lx2.55Wx2.05H mm</p>	<p>B102 — Pin header</p>  <p>1.80Pin 2.SMT Type 3.Pitch 1.00mm 4.DIM:40.00Lx3.20Wx2.40H mm</p>	<p>B103 — Pin header</p>  <p>1.40\50\60Pin 2.SMT Type 3.Pitch 1.27mm 4.DIM:27.80Lx5.50Wx4.25H mm</p>	<p>B104 — Female header</p>  <p>1.40\50\60Pin 2.SMT Type 3.Pitch 1.27mm 4.DIM:25.80Lx4.50Wx2.10/2.40H mm</p>
<p>B105 — Pin header</p>  <p>1.50Pin 2.SMT Type 3.Pitch 1.27mm 4.DIM:31.75Lx3.40Wx1.50H mm</p>	<p>B1001 — Pin header</p>  <p>1.80Pin 2.SMT Type 3.Pitch 0.4mm 4.DIM:40.00Lx3.20Wx2.40H mm</p>	<p>B1002 — Female header</p>  <p>1.40\50\60Pin 2.SMT Type 3.Pitch 1.27mm 4.DIM:27.80Lx5.50Wx4.25H mm</p>	<p>B9001 — Female socket</p>  <p>1. 50/60/80/100 PIN 2. DIP Type(without post) 3. DIM:63.30Lx16.90Wx9.0 H mm</p>
<p>01MXXX-04 — BTB</p>  <p>1.20/24/30/ 40/60/70Pin 2.SMT Type 3. Pitch 0.4mm 4.DIM:5.10/5.90/7.10/9.10/13.10/15.10 L x2.19Wx1.27H mm</p>	<p>01FXXX-04 — BTB</p>  <p>1.24/40/60Pin 2.SMT Type 3. Pitch 0.4mm 4.DIM:7.10/10.30/14.30Lx4.10Wx1.50H mm</p>	<p>02MXXX-04 — BTB</p>  <p>1.24/30/40/ 50/60/70Pin 2.Pitch 0.40mm 3.SMT Type 4.DIM:6.80/8.00/10.00/12.00/14.00 /16.00Lx3.35Wx0.65H mm</p>	<p>02FXXX-04 — BTB</p>  <p>1.24/60Pin 2.Pitch 0.40mm 3.SMT Type 4.DIM:7.20/14.40Lx4.40Wx0.85H mm</p>

<p>04MXXX-04 — BTB</p>  <p>1.24/40Pin 2.Pitch 0.40mm 3.SMT Type 4.DIM:5.94/9.14Lx2.30Wx0.70H mm</p>	<p>04F024-04 — BTB</p>  <p>1.24Pin 2.Pitch 0.40mm 3.SMT Type 4.DIM:7.02Lx3.76Wx0.90H mm</p>	<p>09MXXX-04 — BTB</p>  <p>1.24/30/40/70Pin 2.Pitch 0.40mm 3.SMT Type 4.DIM:5.94/7.14/9.14/15.14Lx3.2Wx0.69H mm</p>	<p>09FXXX-04 — BTB</p>  <p>1.24Pin 2.Pitch 0.40mm 3.SMT Type 4.DIM:6.90Lx5.00Wx0.85H mm</p>
<p>18MXXX-04 — BTB</p>  <p>1.24/40/50/60Pin 2.Pitch 0.40mm 3.SMT Type 4.DIM:5.90/9.10/11.10/13.10Lx2.06Wx1.20H mm</p>	<p>18FXXX(2.0)-04 — BTB</p>  <p>1.24/40/50/60Pin 2.Pitch 0.40mm 3.SMT Type 4.DIM:6.90/10.10/12.10/14.10Lx4.00Wx1.45/1.95H mm</p>	<p>20MXXX-04 — BTB</p>  <p>1.24/30Pin 2.Pitch 0.40mm 3.SMT Type 4.DIM:6.30/7.50Lx2.15Wx0.82H mm</p>	<p>20F024-04 — BTB</p>  <p>1.24Pin 2.Pitch 0.40mm 3.SMT Type 4.DIM:7.30Lx3.90Wx1.00H mm</p>
<p>25MXXX(1.5)-04 — BTB</p>  <p>1.24/30Pin 2.Pitch 0.40mm 3.SMT Type 4.DIM:5.90/7.10Lx2.50Wx1.20/1.70H mm</p>	<p>25FXXX-04 — BTB</p>  <p>1.24Pin 2.Pitch 0.40mm 3.SMT Type 4.DIM:6.90Lx4.40Wx1.20H mm</p>	<p>26M024-04 — BTB</p>  <p>1.24Pin 2.Pitch 0.40mm 3.SMT Type 4.DIM:6.30Lx4.20Wx0.65H mm</p>	<p>26F024-04 — BTB</p>  <p>1.24Pin 2.Pitch 0.40mm 3.SMT Type 4.DIM:7.20Lx5.00Wx0.80H mm</p>
<p>27M024-04 — BTB</p>  <p>1.24Pin 2.Pitch 0.40mm 3.SMT Type 4.DIM:6.54Lx2.50Wx0.75H mm</p>	<p>27F024-04 — BTB</p>  <p>1.24Pin 2.Pitch 0.40mm 3.SMT Type 4.DIM:7.60Lx3.60Wx0.95H mm</p>	<p>204MXXX(1.5)-05 — BTB</p>  <p>1.24/50/60/100Pin 2.Pitch 0.50mm 3.SMT Type 4.DIM:9.00/15.50/18.00/28.00Lx2.50Wx1.13/1.63H mm</p>	<p>204FXXX(2.5)-05 — BTB</p>  <p>1.24/50/60/100Pin 2.Pitch 0.50mm 3.SMT Type 4.DIM:9.00/15.50/18.00/28.00Lx4.80Wx1.13/1.63/1.73H mm</p>
<p>F301 — FPC</p>  <p>1. 25 PIN 2. Pitch 0.30mm 3. BACK FLIP Type 4. H0.9mm</p>	<p>F302 — FPC</p>  <p>1. 11,13,15,21,23,25,31,33,39 PIN 2. Pitch 0.30mm 3. FRONT FLIP Type 4. H1.0mm</p>	<p>F303 — FPC</p>  <p>1. 25PIN 2. Pitch 0.30mm 3. BACK FLIP Type 4. H1.0mm</p>	<p>F401 — FPC</p>  <p>1. 6PIN 2. Pitch 0.40mm 3. BACK FLIP Type 4. H0.9mm</p>
<p>F501 — FPC</p>  <p>1. 6,8,10,12,24 PIN 2. Pitch 0.50mm 3. BACK FLIP Type 4. (H1.0)</p>	<p>F503 — FPC</p>  <p>1. 3,6 PIN 2. Pitch 0.50mm 3. BACK FLIP Type 4.H1.0mm</p>	<p>F504 — FPC</p>  <p>1. 40 PIN 2. Pitch 0.50mm 3. FRONT FLIP Type 4. H2.5mm</p>	<p>F505 — FPC</p>  <p>1. 12,14,24,30,40 PIN 2. Pitch 0.50mm 3. BACK FLIP Type 4. H2.0mm</p>

F506 — FPC



- 1. 10,16,18,20,24,30,40,46,50,60PIN
- 2. Pitch 0.50mm
- 3. FRONT FLIP Type
- 4. H2.0mm

F506 — FPC  <ul style="list-style-type: none">1. 10,16,18,20,24,30,40,46,50,60PIN2. Pitch 0.50mm3. FRONT FLIP Type4. H2.0mm			